



**PROGRAM** : BACHELORS OF ENGINEERING TECHNOLOGY  
*MINING ENGINEERING*  
BACHELOR OF MINE SURVEYING

**SUBJECT** : **ENGINEERING MANAGEMENT (MINE) 3A**

**CODE** : **MGTMNNA3**

**ASSESSMENT** : SUPPLIMENTARY ASSESSMENT

**DATE** : 18 JULY 2019

**DURATION** : 3 HOURS

**WEIGHT** : 60% OF FINAL MARK

**TOTAL MARKS** : 100

---

**EXAMINER** : MRS P NELWAMONDO

**MODERATOR** : MR I TSHABALALA

**NUMBER OF PAGES** :

---

**INSTRUCTIONS** : CLOSED BOOK ASSESSMENT

**REQUIREMENTS** : ONE SCRIPT, SECOND ISSUED ON REQUEST

---



**INSTRUCTIONS TO CANDIDATES:**

- QUESTION PAPERS MUST BE HANDED IN
- ANSWER ALL QUESTIONS
- CELLPHONES MUST BE SWITCHED OFF

**QUESTION 1**

1.1. The activities for a small engineering project are given in the table below.

Activity	Predecessor	Time (days)		
		a	m	b
1	-	2	4	6
2	-	5	5	5
3	2	3	5	7
4	1	7	10	13
5	1	11	12	13
6	2, 4	5	6	7
7	3	9	10	11
8	3, 6	5	7	9
9	4	7	9	11
10	5	3	3	3
11	7	15	17	19
12	8	6	8	10
13	9, 10	7	8	15
14	7	12	14	16
15	12, 13	16	17	18

- 1.1.1. Prepare the data required for a full network analysis. Show all calculations and neatly tabulate the data. (7 ½)
- 1.1.2. Construct the network diagram using the AON convention. (7 ½)
- 1.1.3. Find the critical path and earliest completion time for the project. (5)
- 1.1.4. Find the project duration associated with the following:
- 1.1.4.1. An 80% confidence level. (3)
- 1.1.4.2. A 40% confidence level. (2)

**[25]**

**QUESTION 2**

2.1. In reliability engineering, the change from a functioning to a failed state is failure while the change from a failure to a functioning state is referred to as repair:


2.1.1. Classify the different failures that tend to occur. [4]

2.1.2. Identify a product used in the mining industry, which is likely to fail due to reliability problems. [1]

2.1.3. What are the common general causes of failure? [5]

2.1.4. Draw a bath-tube curve, and indicate exactly when this mining product is likely to fail. [5]

2.1.5. In order to prevent failure, we design for reliability, redesign this mining product for reliability following each step below, use the FMECA template provided. [25]



1.2. Recently, Ford South Africa released a statement says it is “aware” of potential security system problems with “certain older” EcoSport and Fiesta vehicles, and that it plans to implement solutions soon. This comes after several complains by customers having their vehicle’s broken into.

1.2.1. As a manufacturer, explain what is at stake when most of your customers question the reliability of your product. [3]

1.2.2. As a customer, what impact does an unreliable product have on you? [2]

**[45]**

---

**QUESTION 4**

4.1. Demonstrate your understanding of the ECSA Code Conduct by explaining what it states on the following topics:

4.1.1. Competency [2]

4.1.2. Public Interest [2]

4.1.3. Dignity of Profession [2]

4.2. Differentiate between Accreditation, Certification and Licensing. [6]

4.3. Demonstrate your understanding of Professionalism by answering the following questions:

4.3.1. What do people generally perceive it to be? [4]

4.3.2. What is it, in the context of Engineering Management? [6]

4.3.3. Briefly explain the concept of Continuous Professional Development (CPD) [2]

4.3.4. Give two reasons that justify the relevance of CPD. [2]

4.3.5. In terms of the Engineering Council of South Africa (ECSA), how is CPD ensured? [2]

4.3.6. Explain seven benefits of being a Registered Engineering Professional. [7]

**[30]**

---

**TOTAL [100]**

---

**Formulae:**

<b>Project management</b>	
Expected completion	$TE = \frac{a+4m+b}{6}$
Standard deviation	$\sigma^2 = \left[ \frac{b-a}{6} \right]^2$
Probability Z value	$Z = \frac{D-\mu}{\sqrt{\sigma_\mu^2}}$

### Normal Probability Table

Z-Score	0.09	0.08	0.07	0.06	0.05	0.04	0.03	0.02	0.01	0.00	Z-Score	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
-3.9	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
-3.8	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
-3.7	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
-3.6	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0002	0.0002	0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
-3.5	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
-3.4	0.0002	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
-3.3	0.0003	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0005	0.0005	0.0005	0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
-3.2	0.0005	0.0005	0.0005	0.0006	0.0006	0.0006	0.0006	0.0006	0.0007	0.0007	0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
-3.1	0.0007	0.0007	0.0008	0.0008	0.0008	0.0008	0.0009	0.0009	0.0009	0.0010	0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
-3.0	0.0010	0.0010	0.0011	0.0011	0.0011	0.0012	0.0012	0.0013	0.0013	0.0013	0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
-2.9	0.0014	0.0014	0.0015	0.0015	0.0016	0.0016	0.0017	0.0018	0.0018	0.0019	1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
-2.8	0.0019	0.0020	0.0021	0.0021	0.0022	0.0023	0.0023	0.0024	0.0025	0.0026	1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
-2.7	0.0026	0.0027	0.0028	0.0029	0.0030	0.0031	0.0032	0.0033	0.0034	0.0035	1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
-2.6	0.0036	0.0037	0.0038	0.0039	0.0040	0.0041	0.0043	0.0044	0.0045	0.0047	1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
-2.5	0.0048	0.0049	0.0051	0.0052	0.0054	0.0055	0.0057	0.0059	0.0060	0.0062	1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
-2.4	0.0064	0.0066	0.0068	0.0069	0.0071	0.0073	0.0075	0.0078	0.0080	0.0082	1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
-2.3	0.0084	0.0087	0.0089	0.0091	0.0094	0.0096	0.0099	0.0102	0.0104	0.0107	1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
-2.2	0.0110	0.0113	0.0116	0.0119	0.0122	0.0125	0.0129	0.0132	0.0136	0.0139	1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
-2.1	0.0143	0.0146	0.0150	0.0154	0.0158	0.0162	0.0166	0.0170	0.0174	0.0179	1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
-2.0	0.0183	0.0188	0.0192	0.0197	0.0202	0.0207	0.0212	0.0217	0.0222	0.0228	1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
-1.9	0.0233	0.0239	0.0244	0.0250	0.0256	0.0262	0.0268	0.0274	0.0281	0.0287	2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
-1.8	0.0294	0.0301	0.0307	0.0314	0.0322	0.0329	0.0336	0.0344	0.0351	0.0359	2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
-1.7	0.0367	0.0375	0.0384	0.0392	0.0401	0.0409	0.0418	0.0427	0.0436	0.0446	2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
-1.6	0.0455	0.0465	0.0475	0.0485	0.0495	0.0505	0.0516	0.0526	0.0537	0.0548	2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
-1.5	0.0559	0.0571	0.0582	0.0594	0.0606	0.0618	0.0630	0.0643	0.0655	0.0668	2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
-1.4	0.0681	0.0694	0.0708	0.0721	0.0735	0.0749	0.0764	0.0778	0.0793	0.0808	2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
-1.3	0.0823	0.0838	0.0853	0.0869	0.0885	0.0901	0.0918	0.0934	0.0951	0.0968	2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9966
-1.2	0.0985	0.1003	0.1020	0.1038	0.1056	0.1075	0.1093	0.1112	0.1131	0.1151	2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
-1.1	0.1170	0.1190	0.1210	0.1230	0.1251	0.1271	0.1292	0.1314	0.1335	0.1357	2.8	0.9974	0.9975	0.9976	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981	
-1.0	0.1379	0.1401	0.1423	0.1446	0.1469	0.1492	0.1515	0.1539	0.1562	0.1587	2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
-0.9	0.1611	0.1635	0.1660	0.1685	0.1711	0.1736	0.1762	0.1788	0.1814	0.1841	3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
-0.8	0.1867	0.1894	0.1922	0.1949	0.1977	0.2005	0.2033	0.2061	0.2090	0.2119	3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
-0.7	0.2148	0.2177	0.2206	0.2236	0.2266	0.2296	0.2327	0.2358	0.2389	0.2420	3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
-0.6	0.2451	0.2483	0.2514	0.2546	0.2578	0.2611	0.2643	0.2676	0.2709	0.2743	3.3	0.9995	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997	0.9997
-0.5	0.2776	0.2810	0.2843	0.2877	0.2912	0.2946	0.2981	0.3015	0.3050	0.3085	3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998
-0.4	0.3121	0.3156	0.3192	0.3228	0.3264	0.3300	0.3336	0.3372	0.3409	0.3446	3.5	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998
-0.3	0.3483	0.3520	0.3557	0.3594	0.3632	0.3669	0.3707	0.3745	0.3783	0.3821	3.6	0.9998	0.9998	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
-0.2	0.3859	0.3897	0.3936	0.3974	0.4013	0.4052	0.4090	0.4129	0.4168	0.4207	3.7	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
-0.1	0.4247	0.4286	0.4325	0.4364	0.4404	0.4443	0.4483	0.4522	0.4562	0.4602	3.8	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
-0.0	0.4641	0.4681	0.4721	0.4761	0.4801	0.4840	0.4880	0.4920	0.4960	0.5000	3.9	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

No	Item /Function	Failure Mode	Effects of Failure	Causes of Failure	S	F	Score	C	Current Controls	Recommended Action	New Score

**S:** Severity: 1-10: 1 being less and 10 being more

**F:** Frequency: 1-5: 1 being less and 10 be more

**C:** Classification: A-C:

**Score: S \* F:**

A 50-35 **Unacceptable**

B: 34-24 **Beware**

C: 23-1 **Acceptable**

Student Number\_\_\_\_\_